

Universal Rapid Toaster Installation Instructions

Safety Information

⚠ WARNING

Indicates information important to the proper operation of the unit. Failure to observe may result in damage to the equipment and/or severe bodily injury or death.

⚠ CAUTION

Indicates information important to the operation of the unit. Failure to observe may result in damage to the equipment.

Important


Prince Castle reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. This unit requires (2) 30 amp single phase outlets.

Installation

- 1 Remove the unit from the carton and inspect for signs of damage. If there is damage to the unit:
 - Notify the carrier within 24 hours of delivery,
 - Save carton and packaging materials for inspection purposes,
 - Contact your local dealer, or if purchased directly, the Prince Castle Sales Department at 1-800-722-7853 or 630-462-8800 to arrange for a replacement unit.

- 2 **NOTE:** When installing this unit, the ambient temperature at the mounting site should not exceed 37.8°C (100°F).
Your toaster consists of two units positioned together to perform as an assembly. Two-unit assemblies must be equipped with a BBLZ and a bun chute that carries the product from the rear unit to the BBLZ.


- 3 A. To install the 340-URT, designate one unit to be the "FRONT" chamber. The design is flexible to place the "CLUB TOASTING SLOT" either toward the primary or secondary side, depending on store management's preference. Another factor to consider is cord placement in the assembly line.
B. **NOTE:** This bracket is installed by Prince Castle for shipping purposes only.



Screws


1. Remove two screws securing the shipping stiffener bracket.
2. Repeat step 1 for the other shipping stiffener.
3. Discard the two shipping stiffeners.

- 4 Slide the BBLZ into the front chamber of a two-unit assembly by pushing the BBLZ into the unit from the front towards the back.



- 5 Push the BBLZ about halfway into position and connect the wire assembly from underneath the BBLZ to the connectors on the base of the unit and the BBLZ. This connection provides power to heat the BBLZ.

Wire Assembly Under BBLZ




Installation (continued)

6

- A. Push the BBLZ into position. The BBLZ is in the correct position when the mounting holes on the BBLZ align with the mounting holes on the toaster unit.
- B. Insert screws to hold BBLZ in position.
- C. Ensure all wiring is beneath the BBLZ and is not outside the toaster.




BBLZ Pushed Back into Position




Mounting Holes Align

7

- A. On the "rear" chamber, push the bun chute into the toaster from the back toward the front, aligning the bun chute with the mounting holes on the back of the toaster unit.
- B. Insert 2 screws into the back of the unit to hold the bun chute into position.
- C. Insert 2 screws into the inside walls at the front of the chute.



Rear Mounting Screws



Front Mounting Screws

Universal Rapid Toaster Installation Instructions

Installation (continued)

- 8** To connect toaster units, push the rear toaster unit behind the front toaster unit, tilting the rear unit back and raising the bun chute of the rear unit slightly so that it slides over the BBLZ of the front unit.



Tilt back the rear chamber so the front edge of the rear bun chute slides over the front chamber's BBLZ.

- 9** Insert the Wire Chute, ensuring the large open area before the grid is facing the Crumb Release Bar.



- 10** Ensure all edges of the Wire Chute are inside the toaster and place on top of the BBLZ.



- 11** **CAUTION**

All electrical connections must be in accordance with local electrical codes and any other applicable codes.

- A. Ensure that there are no wires or cords above the unit.
- B. Plug the unit into an applicable electrical receptacle.

Introduction

The Prince Castle Universal Rapid Toaster (URT) is an **all-day toaster** and can toast **all** bread products - buns, bagels and muffins.



Toast all products in 1 toaster!

Essentially, *the Prince Castle URT is two independent toasters connected to form one functioning unit*, which means:


- Either toasting chamber can toast any product at any time - toast all muffins or all buns - or even buns in one chamber and muffins in the other. *You have the flexibility to adjust the toaster to best fit your product mix and the time of day.*
- Makes changeover easier.
- Able to conserve energy by turning one chamber off during slow times.
- If one chamber goes down, you can remove one for repair and still have the other chamber to toast.


Set-Up

- Depending on your restaurant's configuration, you have two possibilities
1. For both breakfast and lunch, place the URT at the end of the prep line behind the prep table.
 2. During breakfast, place the URT behind the UHCs and then move the toaster behind the prep table for lunch.

When toaster is in breakfast mode, ensure that no wires or cords are above it.

To begin using the URT,



- Turn on the toasters by the switches located at the back of the toaster.
- *On the respective control panels, press the  to select one of the desired products bagels, muffins or buns.*
- Allow the URT 10-15 minutes to warm up.




Two independent chambers give you flexibility on what products to toast.

Breakfast (Use only the front toaster for bagels)

Whether you are toasting bagels or muffins, the loading process is similar.

1. *Pre-split the breakfast product.* This ensures that every bagel or muffin is toasted consistently.
2. Load the product with the **cut side facing the heater (cut side out)**
3. Press 
 - If for any time that you want to cancel the toasting cycle, press and hold  for **three** seconds.



Pre-split bagels and muffins and load cut-side out

Tip: Place the UHC tray on the BBLZ so that it is easier to load the product.

Change-Over

The URT needs 15 minutes to completely transition from breakfast to lunch. What has worked best for most stores is to:

- Toast additional product of the lower volume breakfast items and hold in UHC
- Convert that chamber to buns at 10:10 so that it is ready to toast buns for lunch. Keep the other chamber in its current breakfast mode so you can continue to sell the higher volume sandwich.
- Convert the other at 10:30 and then begin using at 10:45.

TOAST TIMES	
Buns	16 seconds
Muffins	90 seconds
Bagels	50 seconds

These times are the pre-sets and may change due to several variables, including product tempering time and bakery.

Lunch/Buns

The Prince Castle URT improves buns toasting so you can give your customers even a better product.

- By toasting directly on the platen, you will achieve a better toast - improved caramelization and a hotter bun.
- There is a separate slot for the club/flatbread section, which allows toasting on **both** sides!

The toaster can be easily loaded from either side of the prep table. Load the buns so that the cut-side makes contact with the grey platen and then press



to begin the cycle.


- If for any time that you want to cancel the toasting cycle, press and hold



for **three** seconds.

You will notice that the walls move out a little during that cycle - don't worry, it's by design as it helps the bun retain its shape.

Information Button

By pressing the , you will be able to view the toasters settings. Press the




to scroll through the options. You'll learn about









- Temperature settings and actual temperatures
- Programmed toasting times
- Compression settings

Adjustments

You have the ability to change the product settings to better control product quality.


A. Use the  to make fine adjustments from run to run.

B. Change the programming to make general changes **(it is recommended that you only adjust the TIME)**

1. Press and hold  for six seconds.
2. Using  scroll through the products - muffins, bagels or buns.
 - Once you have found the one, press 
3. Use  to scroll until you find toast time.
 - Press 
4. Use the  to change the time.
 - Press 
 - Press the  several times to exit programming.

Cleaning

Cleaning the URT is simple. Every hour wipe the BBLZ to remove any excess crumbs and seeds. At the end of the day, use the provided cleaning tool and clean only the platens with high temp grill cleaner and then rinse. Then wipe down the exterior with All-Purpose Super Concentrate (APSC) and sanitize with KAYQUAT.



Toasting directly on the platen improves toast quality. And can toast on both sides of a Big Mac club.



Load buns cut-side facing in



By pressing the Information Button, you will have instant access to all of the toaster's settings