



Why	To maintain effectiveness of the Prince Castle MCD DCFT conveyor belt	
Time required	5 minutes to prepare	15 minutes to complete
Time of day	After Close	For 24-hour restaurants: during low-volume times
Hazard icons	 Chemicals	 Hot Surfaces

Tools and supplies



Clean, sanitizer-soaked towels



Bucket, soiled towels



Heat-resistant gloves



Approved Detergent Solution



McDonald's DR Concentrated Disinfectant Cleaner



KAY@ QSR Hi-Temp Grill Cleaner



McDonald's GR Grill Cleaner




Approved Sanitizer Solution



Approved Degreaser Solution

Procedure


- 1 Turn the toaster OFF.**
After waiting 15 minutes for unit to cool, put on the heat-resistant gloves.

 **Hot Surfaces**
NOTE: Failure to wear heat-resistant gloves while performing this cleaning procedure can result in burns.



- 2 Remove the main release sheet from the toaster.**

 - Place release sheet on a clean, flat and dry surface.
 - Inspect the release sheet for tears, cracks and sticking.
 - Replace when necessary.


 **Equipment Alert**
NOTE: DO NOT fold or cease release sheet or take to the 3-compartment sink to be cleaned.



Deep Clean DCFT Conveyor Belt (continued)

3 Open conveyor door.

- Unscrew and lift lid and open front conveyor door.



4 Prepare grill cleaner

- Pour one packet of Hi-Temp Grill Cleaner or McDonald's GR Grill Cleaner into an entrée base/lid or stainless steel pan.
- Be sure to discard entrée base/lid after use.





Chemicals

Hi-Temp Grill Cleaner or McDonald's GR Grill Cleaner




5 Clean conveyor and club belts.

- With power off, open front conveyor door.
- Fully wring out a clean, sanitizer-soaked towel.
- Quickly dip the towel in Hi-Temp Grill Cleaner or McDonald's GR Grill Cleaner and use to clean the front main conveyor and front club belts.
- Rinse the belts with another clean, sanitizer-soaked towel.



5 (continued)

- Close door, power unit ON, count 13 seconds to reveal unclean side of belts, power unit OFF, open door and repeat cleaning using the sanitizer-soaked towel.
- Close door, power unit ON, count 13 seconds again, power OFF, open door and repeat cleaning.
- Wipe down the inner panel of the conveyor access door with a clean, sanitizer-soaked towel sprayed with approved detergent solution or McDonald's DR Concentrated Disinfectant Cleaner.
- Repeat the belt cleaning process for rear belts.




Chemicals

Hi-Temp Grill Cleaner or McDonald's GR Grill Cleaner, Sanitizer solution, Detergent solution or McDonald's DR Concentrated Disinfectant Cleaner

Equipment Alert

NOTE: Do not clean ANY belts while they are turning.

- Close the conveyor access door and secure.
- Re-tighten top cover screws.



Deep Clean DCFT Conveyor Belt (continued)

6 Reinstall release sheet.

NOTE: Make sure release sheet is completely dry before installing.



NOTE: When installing release sheet, you may flip inside-out and use the other side if needed.

7 Turn the toaster ON. Allow the toaster to warm up. The toaster is now ready to resume use.

